



With generous support from:

















TABLE OF CONTENTS

GLOSSARY	3
EXECUTIVE SUMMARY	5
Aichi Biodiversity Target 11 Elements: Current status and opportunities for action	
INTRODUCTION	8
SECTION I: CURRENT STATUS	
COVERAGE - TERRESTRIAL & MARINE	11
ECOLOGICAL REPRESENTATIVENESS – TERRESTRIAL & MARINE	14
AREAS IMPORTANT FOR BIODIVERSITY	18
AREAS IMPORTANT FOR ECOSYSTEM SERVICES	20
CONNECTIVITY & INTEGRATION	
GOVERNANCE DIVERSITY	
PROTECTED AREA MANAGEMENT EFFECTIVENESS	24
SECTION II: EXISTING PROTECTED AREA AND OECM COMMITMENTS	26
NATIONAL BIODIVERSITY STRATEGY AND ACTION PLANS (NBSAPs)	26
OTHER COMMITMENTS	
ANNEX I	
FULL LIST OF TERRESTRIAL ECOREGIONS	27
REFERENCES	28

GLOSSARY

AZEs Alliance for Zero Extinction sites
CEPF Critical Ecosystem Partnership Fund

EBSA Ecologically or Biologically Significant Marine Area

EEZ Exclusive Economic Zone GCF Green Climate Fund

GD-PAME Global Database on Protected Area Management Effectiveness

GEF Global Environment Facility

IBA Important Bird and Biodiversity Area

ICCAs Indigenous and Community Conserved Area Area (may also be referred to as

territories and areas conserved by Indigenous peoples and local communities or

"territories of life")

IPLC Indigenous Peoples and Local Communities

KBA Key Biodiversity Area

MEOW Marine Ecosystems of the World

MPA Marine Protected Area

NBSAP National Biodiversity Strategy and Action Plan
OECM Other Effective Area-Based Conservation Measures

PA Protected Area

PAME Protected Area Management Effectiveness

PPA Privately Protected Area

PPOW Pelagic Provinces of the World ProtConn Protected Connected land indicator

SOC Soil Organic Carbon

TEOW Terrestrial Ecosystems of the World WDPA World Database on Protected Areas

WD-OECM World Database on Other Effective Area-Based Conservation Measures

Disclaimer

The designations employed and the presentation of material in this dossier do not imply the expression of any opinion whatsoever on the part of the Secretariat of the Convention on Biological Diversity (SCBD) or United Nations Development Programme (UNDP) concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. The information contained in this publication do not necessarily represent those of the SCBD or UNDP.

This country dossier is compiled by the UNDP and SCBD from publicly available information. It is prepared, within the overall work of the Global Partnership on Aichi Biodiversity Target 11, for the purpose of attracting the attention of the Party concerned and other national stakeholders to facilitate the verification, correcting, and updating of country data. The statistics might differ from those reported officially by the country due to differences in methodologies and datasets used to assess protected area coverage and differences in the base maps used to measure terrestrial and marine area of a country or territory. Furthermore, the suggestions from the UNDP and SCBD are based on analyses of global datasets, which may not necessarily be representative of national policy or criteria used at the national level. The analyses are also subject to the limits inherent in global indicators (precision, reliability, underlying assumptions, etc.). Therefore, they provide useful information but cannot replace analyses at a national level nor constitute a future benchmark for national policy or decision-making.

The preparation of this dossier was generously supported by: the Government of the Federal Republic of Germany, *Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ) GMbH*; the European Commission; the Government of the United Kingdom of Great Britain and Northern Ireland; and the Government of Japan (Japan Biodiversity Fund). The dossier does not necessarily reflect their views.

This publication may be reproduced for educational or non-commercial purposes without special permission from the copyright holders, provided acknowledgement of the source is made. The SCBD and UNDP would appreciate receiving a copy of any publications that use this document as a source.

EXECUTIVE SUMMARY

This document provides information on the coverage of protected areas (PAs) and other effective area-based conservation measures (OECMs), as currently reported in global databases (the World Database on Protected Areas (WDPA) and World Database on Other Effective Area-Based Conservation Measures (WD-OECM)). It also includes details on the status of the other qualifying elements of Aichi Biodiversity Target 11 based on this data. These statistics might differ from those reported officially by countries due to difference in methodologies and datasets used to assess protected area coverage, differences in the base maps used to measure terrestrial and marine area of a country or territory, or if global datasets differ from the criteria and indicators used at the national level. Where available, data from national statistics for the elements of Target 11 are included alongside records from these global databases. This dossier also provides a summary of commitments made under Aichi Biodiversity Target 11, and a summary of potential opportunities regarding elements of the target for future planning.

The dossier has been developed in consultation with the UN Environment Programme World Conservation Monitoring Centre (UNEP-WCMC), which manages the WDPA, WD-OECM and Global Database on Protected Area Management Effectiveness (GD-PAME). Parties to the CBD are requested to contact protectedareas@unep-wcmc.org with any updates to the information in these databases.

Aichi Biodiversity Target 11 Elements: Current status and opportunities for action

Coverage - Terrestrial & Marine

- **Status:** as of May 2021, terrestrial coverage in Brunei Darussalam is 2,794.4 km² (46.9%) and marine coverage is 51.7 km² (0.2%).
- Opportunities for action: opportunities for the near-term include updating the WDPA with any unreported PAs, and the recognizing and reporting OECMs to the WD-OECM. In the future, focus on relatively intact areas, while addressing the elements in the following sections, could be considered when planning new PAs or OECMs.

Ecological Representativeness—Terrestrial & Marine

- **Status:** Brunei Darussalam contains 4 terrestrial ecoregions, 2 marine ecoregions, and 1 pelagic province: the mean protected coverage by reported PAs and OECMs is 58.9% (terrestrial), 0.0% (marine), and 0.0% (pelagic); 1 marine ecoregion has no coverage by reported PAs and OECMs (1 other marine ecoregion and 1 pelagic province have <0.1% protected).
- **Opportunities for action:** there is opportunity for Brunei Darussalam to increase protection in marine ecoregions and pelagic provinces that have lower levels of coverage by PAs or OECMs.

Areas Important for Biodiversity

- **Status:** Brunei Darussalam has 6 Key Biodiversity Areas (KBAs): the mean protected coverage of KBAs by reported PAs and OECMs is 62.9%, while 1 KBA has no coverage by reported PAs and OECMs.
- **Opportunities for action:** there is opportunity for Brunei Darussalam to increase protection of KBAs that have lower levels of coverage by PAs and OECMs; priority could be given to those with no current coverage.

Areas Important for Ecosystem Services

- **Status:** coverage of areas important for ecosystem services: In Brunei Darussalam, 52.1% of aboveground biomass carbon, 51.6% of belowground biomass carbon, 46.0% of soil organic carbon, 0.1% of carbon stored in marine sediments is covered by PAs and OECMs.
- **Opportunities for action:** for carbon, there is opportunity for Brunei Darussalam to increase PA and OECM coverage in marine areas with high carbon stocks; focus on effective management for terrestrial areas with high carbon stocks. Protecting areas with high carbon stocks secures the benefits of carbon sequestration in the area.
- For water, there is opportunity to increase the area of the water catchment under protection by PAs and OECMs, or in cases where there is high levels of protection, focus on effective management for these areas. Protecting the current area of forested land and potentially reforesting would have benefits for improving water security.

Connectivity and Integration

- **Status:** coverage of protected-connected lands is 34.3%.
- **Opportunities for action:** there is opportunity to focus on PA and OECM management for enhancing and maintaining connectivity. Improving connectivity increases the effectiveness of PAs and OECMs and reduces the impacts of fragmentation.
- As well, a range of suggested steps for enhancing and supporting integration are included in the voluntary guidance on the integration of PAs and OECMs into the wider land- and seascapes and mainstreaming across sectors to contribute, inter alia, to the SDGs (Annex I of COP Decision 14/8).

Governance Diversity

- **Status:** governance type is not reported for any of the sites in Brunei Darussalam currently reported in the WDPA.
- **Opportunities for action:** increase efforts to identify the governance types for the 100.0% of sites that do not have their governance type reported. If applicable, explore opportunities for governance types that have lower representation

• There is also opportunity for Brunei Darussalam to complete governance and equity assessments, to establish baselines and identify relevant actions for improvement. As well, a range of suggested actions are included in the voluntary guidance on effective governance models for management of protected areas, including equity (Annex II of COP Decision 14/8).

Protected Area Management Effectiveness

- **Status:** 0.0% of terrestrial PAs and 0.0% of marine PAs have completed Protected Area Management Effectiveness (PAME) assessments reported.
- **Opportunities for action:** the 60% target for completed management effectiveness assessments (per COP Decision X/31) **has not** been met for terrestrial PAs and **has not** been met for marine PAs. Therefore, there is opportunity to increase protected area management effectiveness (PAME) evaluations for both terrestrial and marine PAs to achieve the target.
- There is also opportunity to implement the results of completed PAME evaluations, to improve the quality of management for existing PAs and OECMs (e.g. through adaptive management and information sharing, increasing the number of sites reporting 'sound management') and to increase reporting of biodiversity outcomes in PAs and OECMs.

INTRODUCTION

The Strategic Plan for Biodiversity 2011-2020 was adopted at the tenth meeting of the Conference of the Parties (COP) to the Convention on Biological Diversity (CBD) held in Nagoya, Aichi Prefecture, Japan from 18-29 October 2010. The vision of the Strategic Plan is one of "Living in harmony with nature" where "By 2050, biodiversity is valued, conserved, restored and wisely used, maintaining ecosystem services, sustaining a healthy planet and delivering benefits essential for all people" (CBD, 2010). In addition to this vision, the Strategic Plan is composed of 20 targets, under five strategic goals. Aichi Biodiversity Target 11 states that "By 2020, at least 17 per cent of terrestrial and inland water, and 10 per cent of coastal and marine areas, especially areas of particular importance for biodiversity and ecosystem services, are conserved through effectively and equitably managed, ecologically representative and well-connected systems of protected areas and other effective area-based conservation measures, and integrated into the wider landscapes and seascapes."

With the conclusion of the Aichi Biodiversity Targets in 2020, Target 11 on area-based conservation has seen success in the expansion of the global network of protected areas (PA) and other effective area-based conservation measures (OECMs). The negotiation of the post-2020 Global Biodiversity Framework (GBF) and its future targets provide an essential opportunity to further improve the coverage of PAs and OECMs, to improve other aspects of area-based conservation, to accelerate progress on biodiversity conservation more broadly, while also addressing climate change, and the Sustainable Development Goals. This next set of global biodiversity targets are to be adopted at the fifteenth meeting of the Conference of the Parties to the Convention on Biological Diversity. These new targets must aim to build upon lessons learned from the last decade of progress to deliver transformative change for the benefit of nature and people, to realize the 2050 Vision for biodiversity.

The United Nations Development Programme (UNDP) and the Secretariat of the Convention on Biological Diversity have developed the Aichi Biodiversity Target 11 Country Dossiers, which provide countries with an overview of the status of Target 11 elements, opportunities for action, and a summary of commitments made by Parties over the last decade. Each dossier can support countries in assessing their progress on key elements of Aichi Biodiversity Target 11 and identifying opportunities to prioritize new protected areas and OECMs.

This dossier provides an overview of area-based conservation in Brunei Darussalam. Section I of the dossier presents data on the current status of Brunei Darussalam's PAs and OECMs. The data presented in Section I relates to each element of Target 11. Section I also presents the PA and OECM coverage for two critical ecosystem services: water security and carbon stocks. In addition, the dossier presents potential opportunities for action for Brunei Darussalam, in relation to each Target 11 element. The analyses present options for improving Brunei Darussalam's area-based conservation network to achieve enhanced protection and benefits for livelihoods and climate change. Section II presents details on Brunei Darussalam's existing PA and OECMs commitments as a summary of existing efforts towards achieving Target 11. This gives focus not only to national policy and actions but

also voluntary commitments to the UN. Furthermore, where data is available, this dossier provides information on potential OECMs, Indigenous and Community Conserved Areas (ICCAs; also often referred to as territories and areas conserved by Indigenous peoples and local communities or "territories of life") and Privately Protected Areas (PPAs) and the potential contribution they will have in achieving the post-2020 targets.

The information on PAs and OECMs presented here is derived from the World Database on Protected Areas (WDPA) and World Database on Other Effective Area-Based Conservation Measures (WD-OECM). These databases are joint products of UNEP and IUCN, managed by UNEP-WCMC, and can be viewed and downloaded at www.protectedplanet.net. Parties are encouraged to provide data on their PAs and OECMs to UNEP-WCMC for incorporation into the databases (see e.g. Decisions 10/31 and 14/8). The significant efforts of Parties in updating their data in the build up to the publication of the Protected Planet Report 2020 (UNEP-WCMC and IUCN, 2021) were greatly appreciated. UNEP-WCMC welcomes further updates, following the data standards described here (www.wcmc.io/WDPA_Manual), and these should be directed to protectedareas@unep-wcmc.org. The statistics presented in this dossier are derived from the May 2021 WDPA and WD-OECM releases, unless explicitly stated otherwise. Readers should consult www.protectedplanet.net for the latest coverage statistics (updated monthly).

Some data from the WDPA and WD-OECM are not made publicly available at the request of the data-provider. This affects some statistics, maps, and figures presented in this dossier. Statistics provided by UNEP-WCMC (terrestrial and marine coverage) are based upon the full dataset, including restricted data. All other statistics, maps, and figures are based upon the subset of the data that is publicly available.

Where data is less readily available, such as for potential OECMs, ICCAs and PPAs, data has also been compiled from published reports and scientific literature to provide greater awareness of these less commonly recorded aspects. These data are provided to highlight the need for comprehensive reporting on these areas to the WDPA and/or WD-OECM. Parties are invited to work with indigenous peoples, local communities and private actors to submit data under the governance of these actors, with their consent, to the WDPA and/or WD-OECM.

Overall, PAs and OECMs are essential instruments for biodiversity conservation and to sustain essential ecosystem services that support human well-being and sustainable development, including food, medicine, and water security, as well as climate change mitigation and adaptation and disaster risk reduction. The data in this dossier, therefore, aims to celebrate the current contributions of PAs and OECMs, whilst the gaps presented hope to encourage greater progress, not just for the benefit of biodiversity and the post-2020 GBF, but also to recognize the essential role of PAs and OECMs to the Sustainable Development Goals and for addressing the climate crisis.

SECTION I: CURRENT STATUS

Aichi Biodiversity Target 11 refers to both protected areas (PAs) and other effective areabased conservation measures (OECMs). This section provides the current status for all elements of Aichi Biodiversity Target 11 where indicators with global data are available. Statistics for all elements are presented using data on both PAs and OECMs (where this data is available and reported in global databases like the WDPA and WD-OECM). It is recognized that statistics reported in the WPDA and WD-OECM might differ from those reported officially by countries due to differences in methodologies and datasets used to assess protected area coverage and differences in the base maps used to measure terrestrial and marine area of a country or territory. Details on UNEP-WCMC's methods for calculating PA and OECM coverage area available here. The global indicators adopted here for presenting the status of other elements of Target 11 may also differ from those in use nationally.


COVERAGE - TERRESTRIAL & MARINE

As of May 2021, Brunei Darussalam has **56** protected areas reported in the World Database on Protected Areas (WDPA). 9 proposed PAs are not included in the following statistics (see details on UNWP-WCMC's methods for calculating PA and OECM coverage **here**).


As of May 2021, Brunei Darussalam has **0** OECMs reported in the world database on OECMs (WD-OECM).

Current coverage for Brunei Darussalam:

- 46.9% terrestrial (44 protected areas, 2,794.4 km²)
- 0.2% marine (4 protected areas, 51.7 km²)



Terrestrial Protected Areas in Brunei Darussalam




Marine Protected Areas in Brunei Darussalam

Potential OECMs

There are currently no potential OECM examples for Brunei Darussalam.

Opportunities for action

Opportunities for the near-term include updating the WDPA with any unreported PAs, and the recognizing and reporting OECMs to the WD-OECM. In the future, as Brunei Darussalam considers where to add new PAs and OECMs, the map below identifies areas in Brunei Darussalam where intact terrestrial areas are not currently protected. Focus on relatively intact areas, while addressing the elements in the following sections, could be considered when planning new PAs or OECMs.



Intactness in Brunei Darussalam

To explore more on intactness visit the UN Biodiversity Lab: map.unbiodiversitylab.org.

ECOLOGICAL REPRESENTATIVENESS - TERRESTRIAL & MARINE

Ecological representativeness is assessed based on the PAs and OECMs coverage of broadscale biogeographic units. Globally, ecoregions have been described for terrestrial areas (Dinerstein et al, 2017), marine coastal and shelf ecosystems (to a depth of 200m; Spalding et al 2007) and surface pelagic waters (Spalding et al 2012).


Brunei Darussalam has 4 **terrestrial** ecoregions. Out of these:

- All 4 ecoregions have at least 17% coverage from PAs and OECMs.
- The average terrestrial coverage of ecoregions is 58.9%.


Brunei Darussalam has 2 marine ecoregions and 1 pelagic province. Out of these:

- 1 marine ecoregion and 1 pelagic province have at least some coverage from reported PAs and OECMs.
- 0 marine ecoregions and 0 pelagic provinces have at least 10% protected within Brunei Darussalam's exclusive economic zone (EEZ).
- The average protected area coverage of marine ecoregions is 0.0% and the average protected area coverage of Pelagic Provinces is 0.0%.


A full list of terrestrial ecoregions in Brunei Darussalam is available in Annex I.




Terrestrial ecoregions in Brunei Darussalam




Terrestrial ecoregions of the World (TEOW) in Brunei Darussalam



Marine ecoregions and pelagic provinces



Marine Ecoregions of the World (MEOW) in Brunei Darussalam



Pelagic Provinces of the World (PPOW) in Brunei Darussalam

Opportunities for action

There is opportunity for Brunei Darussalam to increase protection in marine ecoregions and pelagic provinces that have lower levels of coverage by PAs or OECMs.

AREAS IMPORTANT FOR BIODIVERSITY

Key Biodiversity Areas (KBAs)

Protected area and OECM coverage of Key Biodiversity Areas (KBAs) provide one proxy for assessing the conservation of areas important for biodiversity at national, regional and global scales. KBAs are sites that make significant contributions to the global persistence of biodiversity (IUCN, 2016). The KBA concept builds on four decades of efforts to identify important sites for biodiversity, including Important Bird and Biodiversity Areas, Alliance for Zero Extinction sites, and KBAs identified through Hotspot ecosystem profiles supported by the Critical Ecosystem Partnership Fund. Incorporating these sites, the dataset of internationally significant KBAs includes Global KBAs (sites shown to meet one or more of 11 criteria in the Global Standard for the Identification of KBAs, clustered into five categories: threatened biodiversity; geographically restricted biodiversity; ecological integrity; biological processes; and irreplaceability), Regional KBAs (sites identified using pre-existing criteria and thresholds, that do not meet the Global KBA criteria based on existing information), and KBAs whose Global/Regional status is Not yet determined, but which will be assessed against the global KBA criteria within 8-12 years. Regional KBAs are often of critical international policy relevance (e.g., in EU legislation and under the Ramsar Convention on Wetlands), and many are likely to qualify as Global KBAs in future once assessed for their biodiversity importance for other taxonomic groups and ecosystems. To date, nearly 16,000 KBAs have identified globally, and information on each of these is presented in the World Database of Key Biodiversity Areas: www.keybiodiversityareas.org.


Brunei Darussalam has 6 Key Biodiversity Areas (KBAs).

- Mean percent coverage of all KBAs in Brunei Darussalam by PAs and OECMs is 62.9%.
- 1 KBAs have full (>98%) coverage by PAs and OECMs.
- 4 KBAs have partial coverage by PAs and OECMs.
- 1 KBAs have no (<2%) coverage by PAs and OECMs.


Ecologically or Biologically Significant Marine Areas (EBSAs)

Other important areas for biodiversity may also include Ecologically or Biologically Significant Marine Areas (EBSAs), which were identified following the scientific criteria adopted at COP-9 (Decision IX/20; see more at: https://www.cbd.int/ebsa/). Sites that meet the EBSA criteria may require enhanced conservation and management measures; this could be achieved through means including MPAs, OECMs, marine spatial planning, and impact assessment.

There are no EBSAs to report in Brunei Darussalam.



Areas Important for Biodiversity in Brunei Darussalam



Key Biodiversity Area Coverage (KBA) in Brunei Darussalam

Opportunities for action

There is opportunity for Brunei Darussalam to increase protection of KBAs that have lower levels of coverage by PAs and OECMs; priority could be given to those with no coverage


AREAS IMPORTANT FOR ECOSYSTEM SERVICES

There is no single indicator identified for assessing the conservation of areas important for ecosystem services. For simplicity, two services with available global datasets are assessed here (carbon and water). In future, other critical ecosystem services could be explored.

Carbon

Data for biomass carbon comes from temporally consistent and harmonized global maps of aboveground biomass and belowground biomass carbon density (at a 300-m spatial resolution); the maps integrate land-cover specific, remotely sensed data, and land-cover specific empirical models (see Spawn et al., 2020 for details on methodology). The Global Soil Organic Carbon Map present an estimation of SOC stock from 0 to 30 cm (see FAO, 2017). Data is also presented from global maps of marine sedimentary carbon stocks, standardized to a 1-meter depth (see Sala et al., 2021, and Atwood et al., 2020).

The map below presents the total carbon stocks in Brunei Darussalam and the percent of carbon in protected areas. The total carbon stocks is 70.3 Tg C from aboveground biomass (AGB), with 52.1% in PAs; 16.2 Tg C from below ground biomass (BGB), with 51.6% in PAs; 134.9 Tg C from soil organic carbon (SOC), with 46.0% in PAs; and 134.9 Tg C from marine sediment carbon, with 0.1% in MPAs.



Carbon Stocks in Brunei Darussalam

Water

Forests support stormwater management and clean water availability, especially for large urban populations. Research that has examined the role of forests for city drinking water supplies shows that of the world's 105 largest cities, more than 30% (33 cities) rely heavily on the local protected forests, which provide ecosystem services that underpin local drinking water availability and quality (Dudley & Stolton, 2003).

Drinking water supplies for cities in Brunei Darussalam may similarly depend on protected forest areas within and around water catchments. Intact catchments can support more consistent water supply and improved water quality.

Opportunities for action

For carbon, there is opportunity for Brunei Darussalam to increase PA and OECM coverage in marine areas with high carbon stocks; focus on effective management for terrestrial areas with high carbon stocks. Protecting areas with high carbon stocks secures the benefits of carbon sequestration in the area.

For water, there is opportunity to increase the area of the water catchment under protection by PAs and OECMs, or in cases where there is high levels of protection, focus on effective management for these areas. Protecting the current area of forested land and potentially reforesting would have benefits for improving water security.

CONNECTIVITY & INTEGRATION

Two global indicators, the Protected Connected land indicator (ProtConn; EC-JRC, 2021; Saura et al., 2018) and the PARC-Connectedness indicator (CSIRO, 2019), have been proposed for assessing the terrestrial connectivity of PA and OECM networks. To date there is no global indicator for assessing marine connectivity, though some recent developments include proposed guidance for the treatment of connectivity in the planning and management of MPAs (see Lausche et al., 2021).

Protected Connected Land Indicator (Prot-Conn)

As of January 2021, as reported in the Joint Research Centre of the European Commission's Digital Observatory for Protected Areas (DOPA) (JRC, 2021), the coverage of protected-connected lands (a measure of the connectivity of terrestrial protected area networks, assessed using the ProtConn indicator) in Brunei Darussalam was 34.3%.

PARC-Connectedness Index

In 2019, as assessed using the PARC-Connectedness Index (values ranging from 0-1, indicating low to high connectivity), connectivity in Brunei Darussalam is 0.41. This represents no significant change since 2010.

Corridor case studies

There are currently no corridor case studies available for Brunei Darussalam (but see general details on conserving connectivity through ecological networks and corridors in Hilty et al 2020).

Opportunities for action

There is opportunity to focus on PAs and OECMs management for enhancing and maintaining connectivity. Improving connectivity increases the effectiveness of PAs and OECMs and reduces the impacts of fragmentation.

As well, a range of suggested steps for enhancing and supporting integration are included in the voluntary guidance on the integration of PAs and OECMs into the wider land- and seascapes and mainstreaming across sectors to contribute, inter alia, to the SDGs (Annex I of COP Decision 14/8).

GOVERNANCE DIVERSITY

There is a lack of comprehensive global data on governance quality and equity in PAs and OECMs. Here, we provide data on the diversity of governance types for reported PAs and OECMs.

As of May 2021, PAs in Brunei Darussalam reported in the WDPA have the following governance types:

- 0.0% are governed by **governments**
- 0.0% are under **shared** governance
- 0.0% are under **private** governance
- 0.0% are under **IPLC** governance
- 100.0% **do not** report a governance type

OECMs

As of May 2021, there are **0** OECMs in Brunei Darussalam reported in the WD-OECM, therefore there is no data available on OECM governance types.

Privately Protected Areas (PPAs)

There is currently no data available on PPAs for Brunei Darussalam (see Gloss et al., 2019, and Stolton et al., 2014 for details).

Territories and areas conserved by Indigenous Peoples and local communities (ICCAs)

There is currently no data available on ICCAs for Brunei Darussalam (see Kothari et al., 2012 and the ICCA Registry for further details).

Other Indigenous lands

There is currently no data available on lands managed and/or controlled by Indigenous Peoples in Brunei Darussalam (see Garnett et al 2018 for details).

Opportunities for action

Increase efforts to identify the governance types for the 100.0% of sites that do not have their governance type reported. If applicable, explore opportunities for governance types that have lower representation.

There is also opportunity for Brunei Darussalam to complete governance and equity assessments, to establish baselines and identify relevant actions for improvement. Examples of existing tools and methodologies include: Governance Assessment for Protected and Conserved Areas (Franks & Brooker, 2018), Social Assessment of Protected Areas (Franks et al 2018), and Site-level assessment of governance and equity (IIED, 2020). As well, a range of suggested actions are included in the voluntary guidance on effective governance models for management of protected areas, including equity (Annex II of COP Decision 14/8).

PROTECTED AREA MANAGEMENT EFFECTIVENESS

This section provides information on the coverage of PAs and OECMs with completed protected area management effectiveness (PAME) assessments as reported in the global database (GD-PAME). The proportion of terrestrial and marine PAs with completed PAME assessments is also calculated and compared with the 60% target agreed to in COP-10 Decision X/31. Information is also included regarding changes in forest cover nationally within PAs and OECMs.

Protected area management effectiveness (PAME) assessments

As of May 2021, Brunei Darussalam has 56 PAs reported in the WDPA; of these PAs, 0 (0.0%) have management effectiveness evaluations reported in the global database on protected area management effectiveness (GD-PAME).


- 0.0% (0.0 km²) of the terrestrial area of the country is covered by PAs with completed management effectiveness evaluations.
 - 0.0% of the area of terrestrial PAs have completed evaluations.
- 0.0% (0.0 km²) of the marine area of the country is covered by PAs with completed management effectiveness evaluations.
 - 0.0% of the area of marine PAs have completed evaluations.

The 60% target for completed management effectiveness assessments (per COP Decision X/31) **has not** been met for terrestrial PAs and **has not** been met for marine PAs.

As of May 2021, there are 0 OECMs in Brunei Darussalam reported in the WD-OECM and no information available on the management effectiveness of potential OECMs.

Changes in forest cover in protected areas and OECMs

Forested areas in Brunei Darussalam cover approximately 86.2% of the country, an area of 5,084.4 km². Approximately 48.1% (2,443.2 km²) of this is within the protected area estate of Brunei Darussalam. Over the period 2000-2020 loss of forest cover amounted to over 257.9 km², or 4.4% of the country (5.1% of forest area), of which 60.4 km² (23.4% of forest loss) occurred within protected areas. The map below shows how forest cover has changed in Brunei Darussalam from 2000-2020 both inside and outside of PAs. This can indicate how effective PAs are in reducing forest cover loss



Forest Cover and Forest Loss in Brunei Darussalam

Opportunities for action

The 60% target for completed management effectiveness assessments (per COP Decision X/31) **has not** been met for terrestrial PAs and **has not** been met for marine PAs. Therefore, there is opportunity to increase protected area management effectiveness (PAME) evaluations for both terrestrial and marine PAs to achieve the target.

There is also opportunity to implement the results of completed PAME evaluations, to improve the quality of management for existing PAs and OECMs (e.g. through adaptive management and information sharing, increasing the number of sites reporting 'sound management') and to increase reporting of biodiversity outcomes in PAs and OECMs.

SECTION II: EXISTING PROTECTED AREA AND OECM COMMITMENTS

NATIONAL BIODIVERSITY STRATEGY AND ACTION PLANS (NBSAPs)

Brunei Darussalam has submitted an NBSAP during the Strategic Plan for Biodiversity 2011-2020 (most recent NBSAP is available at: https://www.cbd.int/nbsap/search/).

Strategic Plan of Action 2.0 Protection and Management of Brunei HoB area and Other Reserved Areas:

- To document, map and legalize the boundary of designated Brunei HoB area (58% of the total land) and other protected areas of high biodiversity value such as reserved forests and marine protected area (MPA)
- To maintain forest connectivity and ecological corridors within the designated HoB through reforestation of degraded areas
- To provide comprehensive and scientific protection and management information to relevant agencies on the conservation roles of selected forest or marine sites prior to other sectoral development projects and activities

OTHER COMMITMENTS

Other commitments addressing improved coverage of PAs or OECMs

According to Brunei Darussalam's HLPF voluntary review and 5th National Report:

- The Government is currently undertaking efforts to increase the areas gazetted as forest reserves to 55%
 - If completed as proposed, this will increase coverage of terrestrial areas in Brunei Darussalam by 642 km²
- 1 MPA was recently designated (and not currently reported in the WDPA)
 - o If reported to the WDPA, this would increase coverage of terrestrial areas in Brunei Darussalam by **1.208 km**².

ANNEX I

FULL LIST OF TERRESTRIAL ECOREGIONS

Ecoregion Name	Area (km²)	% of Global Ecoregion in Country	% of Country in Ecoregion	Area Protected (km²)	% Protected in Country
Borneo lowland rain forests	3,674.7	0.9	62.3	1,733.5	47.2
Borneo montane rain forests	76.8	0.1	1.3	74.5	97.0
Borneo peat swamp forests	2,004.5	3.0	34.0	718.5	35.8
Sunda Shelf mangroves	139.5	0.4	2.4	77.7	55.7

REFERENCES

BirdLife International (2018). World Database of Key Biodiversity Areas. Available at: Atwood, TB, Witt, A, Mayorga, J, Hammill, E, & Sala, E. (2020). Global patterns in marine sediment carbon stocks. *Frontiers in Marine Science*.

https://doi.org/10.3389/fmars.2020.00165

BirdLife International (2021). World Database of Key Biodiversity Areas. Available at: http://www.keybiodiversityareas.org

CBD (2010). Decision adopted by the Conference of the Parties to the Convention on Biological Diversity at its tenth meeting. Decision X/2. Strategic plan for biodiversity 2011–2020. Retrieved from https://www.cbd.int/doc/decisions/cop-10/cop-10-dec02-en.pdf.

CSIRO (2019). Protected area connectedness index (PARCconnectedness). https://www.bipindicators.net/indicators/protected-area-connectedness-index-parcconnectedness

Dinerstein, E., et al. (2017). An ecoregion-based approach to protecting half the terrestrial realm. BioScience 67(6), 534-545.

Donald et al., 2019, The prevalence, characteristics and effectiveness of Aichi Target 11's "other effective area-based conservation measures" (OECMs) in Key Biodiversity Areas. Conservation Letters, 12(5).

EC-JRC (2021). DOPA Indicator factsheets: http://dopa.jrc.ec.europa.eu/en/factsheets

FAO (2017). Global Soil Organic Carbon (GSOC) Map - Global Soil Partnership [WWW Document]. URL http://www.fao.org/global-soil-partnership/pillars-action/4-information-and-data/global-soil-organic-carbon-gsoc-map/en/.

Franks, P and Booker, F (2018). Governance Assessment for Protected and Conserved Areas (GAPA): Early experience of a multi-stakeholder methodology for enhancing equity and effectiveness. IIED Working Paper, IIED, London. https://pubs.iied.org/17632IIED

Franks, P. et al. (2018). Social Assessment for Protected and Conserved Areas (SAPA). Methodology manual for SAPA facilitators. Second edition. IIED, London. https://pubs.iied.org/14659iied

Garnett et al. (2018). A spatial overview of the global importance of Indigenous lands for conservation. Nature Sustainability, 1(7), 369.

Global Environment Facility (GEF-5 and GEF-6); all projects can be found online at: https://www.thegef.org/projects

Gloss, L. et al. (2019). International Outlook for Privately Protected Areas: Summary Report. International Land Conservation Network (a project of the Lincoln Institute of Land Policy) and United Nations Development Programme. Summary report, and individual

country profiles, available at: https://nbsapforum.net/knowledge-base/resource/international-outlook-privately-protected-areas-summary-report

Hansen, M.C., Potapov, P.V., Moore, R., Hancher, M., Turubanova, S.A., Tyukavina, A., Thau, D., Stehman, S.V., Goetz, S.J., Loveland, T.R., Kommareddy, A., Egorov, A., Chini, L., Justice, C.O., Townshend, J.R.G., (2013). High-Resolution Global Maps of 21st-Century Forest Cover Change. Science 342, 850–853. https://doi.org/10.1126/science.1244693

Hilty, J et al. (2020). Guidelines for conserving connectivity through ecological networks and corridors. Best Practice Protected Area Guidelines Series No. 30. Gland, Switzerland: IUCN. https://portals.iucn.org/library/sites/library/files/documents/PAG-030-En.pdf

IIED 2020. Site-level assessment of governance and equity (SAGE) https://www.iied.org/site-level-assessment-governance-equity-sage.

IUCN (2016). A Global Standard for the Identification of Key Biodiversity Areas, Version 1.0. First edition. Gland, Switzerland: IUCN.

https://portals.iucn.org/library/sites/library/files/documents/2016-048.pdf

IUCN-WCPA (2017). IUCN-WCPA Task Force on OECMs collation of case studies submitted 2016-2017. https://www.iucn.org/commissions/world-commission-protected-areas/our-work/oecms/oecm-reports

Joint Research Centre of the European Commission (JRC) (2021), The Digital Observatory for Protected Areas (DOPA) Explorer 4.1 [On-line], [Apr/2021], Ispra, Italy. Available at: http://dopa-explorer.jrc.ec.europa.eu

Kothari, A., et al. (Eds) (2012). Recognising and Supporting Territories and Areas Conserved By Indigenous Peoples And Local Communities: Global Overview and National Case Studies. Secretariat of the CBD, ICCA Consortium, Kalpavriksh, and Natural Justice, Montreal, Canada. Technical Series no. 64.

Lausche, B., Laur, A., Collins, M. (2021). *Marine Connectivity Conservation 'Rules of Thumb'* for MPA and MPA Network Design. Version 1.0. IUCN WCPA Connectivity Conservation Specialist Group's Marine Connectivity Working Group.

McDonald, R.I., Weber, K., Padowski, J., Flörke, M., Schneider, C., Green, P.A., Gleeson, T., Eckman, S., Lehner, B., Balk, D., Boucher, T., Grill, G., Montgomery, M., (2014). Water on an urban planet: Urbanization and the reach of urban water infrastructure. Global Environmental Change 27, 96–105. https://doi.org/10.1016/j.gloenvcha.2014.04.022

National Biodiversity Strategy and Action Plan (NBSAPs); most recent NBSAP is available at: https://www.cbd.int/nbsap/search/

Newbold, T., Hudson, L.N., Arnell, A.P., Contu, S., Palma, A.D., Ferrier, S., Hill, S.L.L., Hoskins, A.J., Lysenko, I., Phillips, H.R.P., Burton, V.J., Chng, C.W.T., Emerson, S., Gao, D., Pask-Hale, G., Hutton, J., Jung, M., Sanchez-Ortiz, K., Simmons, B.I., Whitmee, S., Zhang, H., Scharlemann, J.P.W., Purvis, A., (2016). Has land use pushed terrestrial biodiversity beyond the planetary boundary? A global assessment. Science 353, 288–291. https://doi.org/10.1126/science.aaf2201

Sala, E. et al. (2021). Protecting the global ocean for biodiversity, food and climate. Nature, 592(7854), 397-402.

Saura, S. et al. (2018). Protected area connectivity: Shortfalls in global targets and country-level priorities. Biological Conservation, 219, 53-67.

Saura, S. et al (2017). Protected areas in the world's ecoregions: How well connected are they? Ecological Indicators, 76, 144-158.

Spalding, M.D., et al. (2012). Pelagic provinces of the world: a biogeographic classification of the world's surface pelagic waters. Ocean & Coastal Management 60, 19–30.

Spalding, M.D., et al. (2007). Marine ecoregions of the world: a bioregionalization of coastal and shelf areas. BioScience 57(7): 573–583.

Spawn, S.A., Sullivan, C.C., Lark, T.J., Gibbs, H.K., (2020). Harmonized global maps of above and belowground biomass carbon density in the year 2010. Scientific Data 7, 112. https://doi.org/10.1038/s41597-020-0444-4

Stolton, S. et al. (2014). The Futures of Privately Protected Areas. Gland, Switzerland: IUCN.

UNEP-WCMC and IUCN (2021) Protected Planet Report 2020. UNEP-WCMC and IUCN: Cambridge UK; Gland, Switzerland.

UNEP-WCMC and IUCN (2021), Protected Planet: The Global Database on Protected Area Management Effectiveness (GD-PAME) [On-line], [May/2021], Cambridge, UK: UNEP-WCMC and IUCN. Available at: www.protectedplanet.net.

UNEP-WCMC and IUCN (2021), Protected Planet: The World Database on Protected Areas (WDPA) [On-line], [May/2021], Cambridge, UK: UNEP-WCMC and IUCN. Available at: www.protectedplanet.net.

UNEP-WCMC and IUCN (2021), Protected Planet: The World Database on Other Effective Area-based Conservation Measures (WD-OECM) [On-line], [May/2021], Cambridge, UK: UNEP-WCMC and IUCN. Available at: www.protectedplanet.net.

UN Ocean Conference Voluntary Commitments, available at: https://oceanconference.un.org/commitments/

Williams, B.A., Venter, O., Allan, J.R., Atkinson, S.C., Rehbein, J.A., Ward, M., Marco, M.D., Grantham, H.S., Ervin, J., Goetz, S.J., Hansen, A.J., Jantz, P., Pillay, R., Rodríguez-Buriticá, S., Supples, C., Virnig, A.L.S., Watson, J.E.M., (2020). Change in Terrestrial Human Footprint Drives Continued Loss of Intact Ecosystems. One Earth 3, 371–382.

https://doi.org/10.1016/j.oneear.2020.08.009

This document was created using the knitr package with R version 4.0.5.

 $For any \ questions \ please \ contact \ support@unbiodiveristylab.org.$

.